

# Solving Markov Decision Processes with Partial State Abstractions

Samer B. Nashed<sup>1\*</sup>, Justin Svegliato<sup>1\*</sup>, Matteo Brucato<sup>1</sup>, Connor Basich<sup>1</sup>, Rod Grupen<sup>1</sup>, Shlomo Zilberstein<sup>1</sup>

*Abstract*—Autonomous systems often use approximate planners that exploit state abstractions to solve large MDPs in real-time decision-making problems. However, these planners can eliminate details needed to produce effective behavior in autonomous systems. We therefore propose a novel model, a *partially abstract MDP*, with a set of abstract states that each *compress* a set of ground states to condense *irrelevant* details and a set of ground states that *expand* from a set of grounded abstract states to retain *relevant* details. This paper offers (1) a definition of a partially abstract MDP that (2) generalizes its ground MDP and its abstract MDP and exhibits bounded optimality depending on its abstract MDP along with (3) a lazy algorithm for planning and execution in autonomous systems. The result is a scalable approach that computes near-optimal solutions to large problems in minutes rather than hours.

## I. INTRODUCTION

Markov decision processes (MDPs) are an expressive model for sequential decision making in fully observable, stochastic environments. These models have been used in many autonomous systems, including self-driving vehicles [1], [2], search and rescue robots [3], [4], extraterrestrial rovers [5], [6], and personal assistants [7], [8]. In general, since autonomous systems operate in complex domains, there is typically a need to include many state factors in an MDP to produce effective operation. For example, a self-driving vehicle that uses an MDP to traverse intersections includes each vehicle position, pedestrian location, and traffic light signal [9]. However, given the exponential growth of the state space in the number of state factors, autonomous systems must often solve an MDP approximately in real-time settings.

A common approach to solving MDPs approximately is to compute an optimal solution to some abstraction of an MDP. Recent work has focused on *abstract MDPs* that have abstract states that partition the ground states of a *ground MDP* according to certain criteria [10]. However, while abstract MDPs can be solved much faster than ground MDPs, they can eliminate details needed to produce effective behavior in autonomous systems. Ideally, for autonomous systems to produce effective behavior in an acceptable amount of time, an abstract MDP should not only condense unimportant details but also retain important details of the ground MDP.

We therefore offer a novel model, called a *partially abstract MDP*, that generalizes ground MDPs and abstract MDPs. Similar to an abstract MDP, it has a set of abstract




Fig. 1. A satellite orbiting earth must take photos of 5 points of interests with 3 weather levels that change gradually. Initially, it sketches an abstract MDP that compresses 45927 ground states into 672 abstract states (gray) of  $3 \times 3$  abstract cells and 2 abstract weather levels. At each new abstract state along its path, it refines the abstract MDP into a partially abstract MDP that expands the new abstract state and key abstract states into ground states (white) using either a naive (blue), greedy (orange), or proactive (green) expansion strategy. The plot shows that each partially abstract MDP requires less than 1% of the *planning time* of the ground MDP for each *orbit position*.

states that each *compress* a set of ground states to condense *irrelevant* details. However, similar to a ground MDP, it has a set of ground states that *expand* from a set of grounded abstract states to retain *relevant* details. Hence, a partially abstract MDP provides an adjustable balance between the *low* fidelity abstract MDP and the *high* fidelity ground MDP.

Given an abstract MDP and a partially abstract MDP, we propose a lazy algorithm for planning and execution that allows an autonomous system to complete a task described by a ground MDP in Figure 1. Before starting the task, the system builds and solves an *abstract MDP* where each abstract state *compresses* a set of ground states. While completing the task, every time a new abstract state is encountered, the system builds and solves a *partially abstract MDP* where the new abstract state and key abstract states *expand* into a set of ground states using an expansion strategy. By initially sketching an abstract MDP offline and later refining it into partially abstract MDPs online, the system produces effective behavior in an acceptable period of time without ever solving the ground MDP directly. This algorithm is inspired by the *SketchRefine* method for solving large integer programs [11].

Our contributions are: (1) a definition of a partially abstract MDP, (2) an analysis that a partially abstract MDP generalizes its ground MDP and its abstract MDP and exhibits bounded optimality depending on its abstract MDP and (3) a lazy algorithm for planning and execution in autonomous systems. Most importantly, we demonstrate that our approach is near-optimal and scalable in an earth observation domain.

\*Both authors contributed equally.

<sup>1</sup>College of Information and Computer Sciences, University of Massachusetts Amherst, MA, USA. Emails: {snashed, jsvegliato, matteo, cbasich, grupen, shlomo}@cs.umass.edu

## II. RELATED WORK

The desire to solve large MDPs is not new, and techniques for doing so generally adopt one of three approaches. First, there are *approximate solvers* that use dynamic programming, such as value or policy iteration [12], [13], and linear programming [14], [15], [16], [17]. Second, some methods compute *partial policies* on a subset of the ground states and re-plan if the agent encounters a state for which the partial policy is undefined [18], [19]. Third, optimal policies are computed on *abstractions* of the original problem, where there is a surjective mapping from the original ground states to the abstract states [10]. Our approach combines insights from both partial policies and abstractions but does not preclude the use of approximate solvers.

Using abstractions to reduce the size of a problem is a natural and popular approach to solving large MDPs. The quality of these policies depends heavily on the abstraction scheme, and many abstraction methods have been proposed. Some strict definitions include bisimulation [20], statistical bisimulation [21], and bounded MDPs [22]. Abstractions based on homomorphisms [23], [24] and generic change of basis have also been proposed [25]. Abstractions also support hierarchical systems, such as MAXQ [26] and task-relevant partitions [27]. Abstractions for continuous variables [28] and across time [29] have been examined as well. Some work even uses temporal abstractions derived from analytically computed landmarks to summarize policies for SSPs [30]. Another form of abstraction is determinization, or its more general form, reduced models, which form abstractions over action outcomes [31], [32]. Our approach retains the potential for substantial state space reductions shared by abstraction-based approaches but remains more robust to abstraction schemes because it computes policies on ground states.

Computing partial policies is an approach with a history of success. FF-Replan [33], a remarkably simple yet effective algorithm for planning in MDPs, works by determinizing an MDP, constructing a plan to the determinization, and re-planning if the agent reaches an unexpected state. Recently, Soft-FLARES [34] achieved impressive results on large stochastic shortest path (SSP) problems, a subclass of MDPs, by probabilistically labeling  $\epsilon$ -consistent state values within a horizon. There has also been work on designing meta-level controllers to reason about when to expand additional states within an MDP while solving for a partial policy [35]. Partial policies over *actions* have even been explored in an effort to bias Monte Carlo tree search over policies online [36]. Our approach benefits from many properties enjoyed by partial policy approaches, including work on selecting which states the partial policy should consider, and the eventual construction of a complete policy as the agent visits new states during deployment. One unique benefit of partially abstract MDPs is that the partial policy is globally influenced by relevant features of the ground state space via transitions between expanded ground states and abstract states.

## III. BACKGROUND

A ground MDP is represented by a tuple  $M = \langle S, A, T, R \rangle$  [37]. The space of states is  $S$ . The space of actions is  $A$ . The transition function  $T : S \times A \times S \rightarrow [0, 1]$  represents the probability of reaching a state  $s' \in S$  after performing an action  $a \in A$  in a state  $s \in S$ . The reward function  $R : S \times A \rightarrow \mathbb{R}$  represents the immediate reward of performing an action  $a \in A$  in a state  $s \in S$ . A solution to an MDP is a policy  $\pi : S \rightarrow A$  indicating that an action  $\pi(s) \in A$  should be performed in a state  $s \in S$ . A policy  $\pi$  induces a value function  $V^\pi : S \rightarrow \mathbb{R}$  representing the expected discounted cumulative reward  $V^\pi(s) \in \mathbb{R}$  for each state  $s \in S$  given a discount factor  $0 \leq \gamma < 1$ . An optimal policy  $\pi^*$  maximizes the expected discounted cumulative reward for each state  $s \in S$  by meeting the Bellman optimality equation  $V^*(s) = \max_{a \in A} \sum_{s' \in S} T(s, a, s') [R(s, a, s') + \gamma V^*(s')]$ .

Specifying an abstract MDP  $\tilde{M}$  of a ground MDP  $M$  requires two functions [10]. First, an abstraction function  $\phi : S \rightarrow \tilde{S}$  maps a ground state  $s \in S$  to an abstract state  $\bar{s} \in \tilde{S}$ . Second, an inverse abstraction function  $\phi^{-1} : \tilde{S} \rightarrow \mathcal{P}(S)$  maps an abstract state  $\bar{s} \in \tilde{S}$  to a set of ground states  $S \subseteq \mathcal{P}(S)$ . The condition  $\phi(s) = \bar{s} \Leftrightarrow s \in \phi^{-1}(\bar{s})$  must hold for each ground state  $s \in S$  and abstract state  $\bar{s} \in \tilde{S}$ .

An abstract MDP is represented by a tuple  $\tilde{M} = \langle \tilde{S}, A, \tilde{T}, \tilde{R} \rangle$  [10]. The space of abstract states is  $\tilde{S} = \{\phi(s) \mid s \in S\}$  such that a set of ground states  $S$  is abstracted by an abstraction function  $\phi$ . The space of ground actions is  $A$ . The abstract transition function is  $\tilde{T}(\bar{s}, a, \bar{s}') = \sum_{s \in \phi^{-1}(\bar{s})} \psi(s) \sum_{s' \in \phi^{-1}(\bar{s}')} T(s, a, s')$ . The abstract reward function is  $\tilde{R}(\bar{s}, a) = \sum_{s \in \phi^{-1}(\bar{s})} \psi(s) R(s, a)$ . Note that a weighting function  $\psi : S \rightarrow [0, 1]$  represents the probability of being in a ground state  $s \in S$  in an abstract state  $\phi(s) \in \tilde{S}$ .

## IV. PARTIAL STATE ABSTRACTIONS

We offer a novel model, a *partially abstract MDP*, that has two levels of abstraction: a set of abstract states that each compress a set of ground states and a set of ground states that expand from a set of grounded abstract states. We offer a description of a partially abstract MDP below.

**Definition 1.** A *partially abstract MDP*,  $\tilde{M} = \langle \tilde{S}, A, \tilde{T}, \tilde{R} \rangle$ , is a *partially abstract version of a ground MDP*  $M = \langle S, A, T, R \rangle$  and an abstract MDP  $\tilde{M} = \langle \tilde{S}, A, \tilde{T}, \tilde{R} \rangle$ , where

- $\tilde{S} = \alpha \cup \beta$  is a set of **partially abstract states** with a set of ground states  $\alpha = \{\phi^{-1}(\bar{s}) \mid \bar{s} \in \Gamma\}$  and a set of abstract states  $\beta = \{\tilde{S} \setminus \Gamma\}$  such that a set of grounded abstract states  $\Gamma \subseteq \tilde{S}$  is grounded by an inverse abstraction function  $\phi^{-1}$ ,
- $A$  is a set of ground actions,
- $\tilde{T} : \tilde{S} \times A \times \tilde{S} \rightarrow [0, 1]$  is a **partially abstract transition function** composed of a ground transition function  $T$  and an abstract transition function  $\tilde{T}$ , and
- $\tilde{R} : \tilde{S} \times A \rightarrow \mathbb{R}$  is a **partially abstract reward function** composed of a ground reward function  $R$  and an abstract reward function  $\tilde{R}$ .




Fig. 2. The range of state abstractions where a ground MDP is the least abstract and an abstract MDP is the most abstract. The ground MDP has only ground states, the partially abstract MDP has both ground states and abstract states, and the abstract MDP has only abstract states. By adjusting the states of a partially abstract MDP, we can generate a ground MDP if every abstract state is expanded or an abstract MDP if every ground state is compressed.

The partially abstract transition and reward functions of a partially abstract MDP are defined in the following way.

$$\tilde{T}(\tilde{s}, a, \tilde{s}') = \begin{cases} T(\tilde{s}, a, \tilde{s}') & \text{if } \tilde{s} \in \alpha, \tilde{s}' \in \alpha \\ \sum_{s' \in \phi^{-1}(\tilde{s}')} T(\tilde{s}, a, s') & \text{if } \tilde{s} \in \alpha, \tilde{s}' \in \beta \\ \sum_{s \in \phi^{-1}(\tilde{s})} \psi(s) T(s, a, \tilde{s}') & \text{if } \tilde{s} \in \beta, \tilde{s}' \in \alpha \\ \bar{T}(\tilde{s}, a, \tilde{s}') & \text{if } \tilde{s} \in \beta, \tilde{s}' \in \beta \end{cases}$$

$$\tilde{R}(\tilde{s}, a) = \begin{cases} R(\tilde{s}, a) & \text{if } \tilde{s} \in \alpha \\ \bar{R}(\tilde{s}, a) & \text{if } \tilde{s} \in \beta \end{cases}$$

Figure 2 shows the range of state abstractions that span a ground MDP, partially abstract MDPs, and an abstract MDP given an abstraction and inverse abstraction function.

#### A. Generality

A partially abstract MDP generalizes its ground MDP and its abstract MDP. In other words, every ground MDP and abstract MDP can naturally be represented as a partially abstract MDP. We prove this idea below.

**Remark 1.** Every ground MDP  $M$  and abstract MDP  $\bar{M}$  is a partially abstract MDP  $\tilde{M}$ .

*Proof Sketch.* Suppose a partially abstract MDP  $\tilde{M}$  has a set of grounded abstract states  $\Gamma$  set to either  $\bar{S}$  for a ground MDP  $M$  or  $\emptyset$  for an abstract MDP  $\bar{M}$ . The space of partially abstract states  $\tilde{S}$  is then either a union of a set of ground states  $\alpha = S$  and a set of abstract states  $\beta = \emptyset$  for a ground MDP  $M$  or a union of a set of ground states  $\alpha = \emptyset$  and a set of abstract states  $\beta = \bar{S}$  for an abstract MDP  $\bar{M}$ . Hence, the partially abstract transition and reward functions  $\tilde{T}$  and  $\tilde{R}$  reduce to either the ground functions  $T$  and  $R$  for the ground MDP  $M$  or the abstract functions  $\bar{T}$  and  $\bar{R}$  for the abstract MDP  $\bar{M}$ . Every ground MDP  $M$  and abstract MDP  $\bar{M}$  is therefore a partially abstract MDP  $\tilde{M}$ .  $\square$

#### B. Optimality

A partially abstract MDP can exhibit bounded optimality depending on the properties of its abstract MDP. At a high level, this section describes a well-known abstract MDP, outlines a standard solution method, and proves that

a partially abstract MDP that uses this abstract MDP and solution method exhibits a lower bound on optimality.

We first consider an abstract MDP described as a *bounded parameter MDP* that is  $\epsilon$ -homogeneous with respect to a ground MDP  $M = \langle S, A, T, R \rangle$  [22]. A bounded parameter MDP is described by a tuple  $\mathcal{M} = \langle S, \mathcal{A}, \mathcal{T}, \mathcal{R} \rangle$ . The space of states is  $S = \{\mathcal{B}_1, \mathcal{B}_2, \dots, \mathcal{B}_n\}$  that partitions the space of ground states  $S = \mathcal{B}_1 \cup \mathcal{B}_2 \cup \dots \cup \mathcal{B}_n$ . The space of actions is  $\mathcal{A} = A$ . The transition function  $\mathcal{T} : S \times \mathcal{A} \times S \rightarrow [0, 1] \times [0, 1]$  represents a closed form probability interval  $[l_{\mathcal{T}(s,a,s')}, u_{\mathcal{T}(s,a,s')}]$  with  $0 \leq l_{\mathcal{T}(s,a,s')} \leq u_{\mathcal{T}(s,a,s')} \leq 1$  of reaching a state  $s' \in S$  after performing an action  $a \in \mathcal{A}$  in a state  $s \in S$ . The reward function  $\mathcal{R} : S \times \mathcal{A} \rightarrow \mathbb{R} \times \mathbb{R}$  represents a closed form immediate reward interval  $[l_{\mathcal{R}(s,a)}, u_{\mathcal{R}(s,a)}]$  with  $-\infty \leq l_{\mathcal{R}(s,a)} \leq u_{\mathcal{R}(s,a)} \leq \infty$  of performing an action  $a \in \mathcal{A}$  in a state  $s \in S$ . A bounded parameter MDP  $\mathcal{M}$  is  $\epsilon$ -homogeneous if and only if the space of states  $S = \{\mathcal{B}_1, \mathcal{B}_2, \dots, \mathcal{B}_n\}$  partitions the space of ground states  $S = \mathcal{B}_1 \cup \mathcal{B}_2 \cup \dots \cup \mathcal{B}_n$  such that the conditions  $|R(p) - R(q)| \leq \epsilon$  and  $|\sum_{r \in \mathcal{B}_j} T(p, a, r) - \sum_{r \in \mathcal{B}_j} T(q, a, r)| \leq \epsilon$  hold for each state  $\mathcal{B}_i \in S$ , state  $\mathcal{B}_j \in S$ , action  $a \in \mathcal{A}$ , ground state  $p \in \mathcal{B}_i$ , and ground state  $q \in \mathcal{B}_i$  given a similarity threshold  $\epsilon$ .

An  $\epsilon$ -homogeneous bounded parameter MDP can then be solved using *interval value iteration* [38]. It first computes an interval value function  $\mathcal{V} : S \rightarrow \mathbb{R} \times \mathbb{R}$  that represents a closed form value interval  $[l_{\mathcal{V}(s)}, u_{\mathcal{V}(s)}]$  with  $0 \leq l_{\mathcal{V}(s)} \leq u_{\mathcal{V}(s)} \leq 1$  for each ground state  $s \in S$ . It then computes a pessimistic policy  $\pi_{pess} : S \rightarrow A$  that indicates that an action  $\pi(s) \in A$  should be performed in a ground state  $s \in S$  using the lower value bound  $l_{\mathcal{V}(s)}$  of the interval value function  $\mathcal{V}(s)$ . Importantly, it has been shown that a pessimistic policy  $\pi_{pess}(s)$  induces a ground value function  $V(s)$  greater than or equal to the lower bound value  $l_{\mathcal{V}(s)}$  of the interval value function  $\mathcal{V}(s)$  for each ground state  $s \in S$ .

We now show that a partially abstract MDP that expands an abstract MDP based on an  $\epsilon$ -homogeneous bounded-parameter MDP exhibits a lower bound on optimality below.

**Proposition 1.** A partially abstract MDP  $\tilde{M}$  that expands

an abstract MDP  $\bar{M}$  based on an  $\epsilon$ -homogeneous bounded-parameter MDP  $\mathcal{M}$  induces a ground value function  $V(s)$  greater than or equal to the lower bound value  $l_{\mathcal{V}(s)}$  of the interval value function  $\mathcal{V}(s)$  for each ground state  $s \in S$ .

*Proof Sketch.* Consider an abstract MDP  $\bar{M}$  with a space of abstract states  $\bar{S}$  based on an  $\epsilon$ -homogeneous bounded-parameter MDP  $\mathcal{M}$ . Suppose the abstract MDP  $\bar{M}$  expands a set of grounded abstract states  $\Gamma \subseteq \bar{S}$  to get a partially abstract MDP  $\tilde{M}$  with a set of partially abstract states  $\tilde{S}$  that has a set of ground states  $\alpha = \{\phi^{-1}(\bar{s}) \mid \bar{s} \in \Gamma\}$  and a set of abstract states  $\beta = \{\tilde{S} \setminus \Gamma\}$ . By definition, the set of abstract states  $\beta$  is  $\epsilon$ -homogeneous. Likewise, the set of ground states  $\alpha$  is  $\epsilon$ -homogeneous for any  $\epsilon$  since each ground state can be treated as a unique abstract state. Thus, the partially abstract MDP  $\tilde{M}$  induces a ground value function  $V(s)$  greater than or equal to the lower bound value  $l_{\mathcal{V}(s)}$  of the interval value function  $\mathcal{V}(s)$  for each ground state  $s \in S$ .  $\square$

## V. LAZY PLANNING AND EXECUTION

We propose a lazy algorithm that allows an autonomous system to use abstract MDPs and partially abstract MDPs for planning and execution in Algorithm 1. Initially, the system builds and solves an *abstract MDP* where each abstract state *compresses* a set of ground states. Every time a new abstract state is encountered, the system builds and solves a *partially abstract MDP* where the new abstract state and key abstract states *expand* into a set of ground states using an expansion strategy. We describe the three phases of Algorithm 1 below.

1) *Initialization:* Algorithm 1 creates the ground policy by building and solving an abstract MDP offline (Lines 1-7). First, the abstract MDP is built from the ground MDP using the abstraction function and solved using the planner given the discount factor (Lines 1-2). Next, the ground policy is initialized to the abstract policy of the abstract state for each ground state of the ground MDP (Lines 3-6). Finally, the visited ground states are initialized (Line 7). The loop then starts at the first time step (Line 8).

2) *Planning:* Algorithm 1 updates the ground policy by building and solving a partially abstract MDP online (Lines 9-20). This phase only occurs if the current ground state is not in the visited ground states (Line 9). First, the grounded abstract states is a union of the current abstract state for the current ground state and key abstract states generated by the EXPANSIONSTRATEGY function given the ground MDP, the abstract MDP, and the current ground state (Line 10-12). Next, the ground states are computed from the grounded abstract states using the inverse abstraction function (Line 13) and the abstract states are computed from the abstract states of the abstract MDP and the grounded abstract states (Line 14). After, the partially abstract MDP is built from the ground MDP, the abstract MDP, the ground states, and the abstract states (Line 15) and solved using the planner given the discount factor (Line 16). Thereafter, if the planner does not exceed a planning time limit or encounter

---

**Algorithm 1:** A lazy algorithm for planning and execution in autonomous systems.

---

**Input:** A ground MDP  $M = \langle S, A, T, R \rangle$ , a horizon  $T$ , a discount factor  $\gamma$ , an abstraction function  $\phi$ , an inverse abstraction function  $\phi^{-1}$ , an initial ground state  $s \in S$ , and a planner  $\Xi$

```

1  $\bar{M} \leftarrow \text{BUILDAMPDP}(M, \phi)$ 
2  $\bar{\pi} \leftarrow \Xi.\text{SOLVE}(\bar{M}, \gamma)$ 
3  $\pi \leftarrow \emptyset$ 
4 for  $s'$  in  $S$  do
5    $\bar{s}' \leftarrow \phi(s')$ 
6    $\pi(s') \leftarrow \bar{\pi}(\bar{s}')$ 
7  $\Lambda \leftarrow \emptyset$ 
8 while  $t \rightarrow T$  do
9   if  $s$  not in  $\Lambda$  then
10      $\bar{s} \leftarrow \phi(s)$ 
11      $\rho \leftarrow \text{EXPANSIONSTRATEGY}(M, \bar{M}, s)$ 
12      $\Gamma \leftarrow \rho \cup \{\bar{s}\}$ 
13      $\alpha \leftarrow \{\phi^{-1}(\bar{s}) \mid \bar{s} \in \Gamma\}$ 
14      $\beta \leftarrow \tilde{S} \setminus \Gamma$ 
15      $\tilde{M} \leftarrow \text{BUILDAMPDP}(M, \bar{M}, \alpha, \beta)$ 
16      $\tilde{\pi} \leftarrow \Xi.\text{SOLVE}(\tilde{M}, \gamma)$ 
17     if  $\tilde{\pi}$  is not  $\emptyset$  then
18       for  $s'$  in  $\phi^{-1}(\bar{s})$  do
19          $\pi(s') \leftarrow \tilde{\pi}(s')$ 
20          $\Lambda \leftarrow \Lambda \cup \phi^{-1}(\bar{s})$ 
21    $a \leftarrow \pi(s)$ 
22    $s \leftarrow \text{PERFORM}(a)$ 

```

---

an unexpected error due to connectivity loss or node failure, the ground policy is updated to the partially abstract policy for each ground state of the current abstract state (Lines 17-19). Finally, the visited ground states are updated with the ground states of the current abstract state (Line 20).

3) *Execution:* Algorithm 1 performs an action that follows the ground policy (Lines 21-22). First, the current ground action is calculated from the ground policy given the current ground state (Line 21). Next, the current state is generated by performing the current action (Line 22). The loop then continues to the next time step (Line 8).

At each time step, the algorithm must determine the grounded abstract states to be expanded by the partially abstract MDP. Minimally, the algorithm selects the abstract state of the current ground state for expansion on Line 10. However, the algorithm also selects key abstract states for expansion using the EXPANSIONSTRATEGY function on Line 11. Ideally, the grounded abstract states, namely the current abstract state and the key abstract states, should be set in a way that produces effective behavior in real time.

Any planner can be used by the algorithm. As the main requirement, the planner must have an MDP as input and a policy as output. In fact, it can use any exact planner based on dynamic programming, such as value or policy iteration [37], heuristic search, such as LAO\* [39], or linear program-

ming [40]. It can even use approximate planners based on real-time dynamic programming [41] or determinization [32].

The algorithm exhibits three key properties for autonomous systems. First, it is *lazy* as it only computes the ground policy for the ground states of visited abstract states. Second, it is *attentional* since it only solves partially abstract MDPs that expands the new abstract state and key abstract states instead of the ground MDP. This retains small relevant regions but ignores large irrelevant regions of the ground MDP, which increases the accuracy while decreasing the complexity of planning. Third, it is *anytime* because it uses a default ground policy from the abstract MDP if the planner either exceeds some planning time limit or encounters an unexpected error due to connectivity loss or node failure.

## VI. EARTH OBSERVATION

We turn to an application of our approach to an earth observation domain [42]. A satellite orbiting earth must take photos of various points of interests  $P$  with different weather levels  $W$  that change stochastically. The satellite starts at longitude  $x \in X$  with its camera focused at latitude  $y \in Y$ . The satellite then does *no operation*, shifts its camera *north* to the northward latitude  $y' \in Y$ , shifts its camera *south* to the southward latitude  $y'' \in Y$ , or takes a *photo* of the rectangular region of earth at latitude  $y \in Y$  and longitude  $x \in X$  with a photo quality based on the weather level  $w \in W$ . Concurrently, the satellite moves to the eastward longitude  $x' \in X$ . This repeats indefinitely. We define the ground, abstract, and partially abstract MDPs below.

1) *Ground MDP*: We use a ground MDP  $M = \langle S, A, T, R \rangle$  that represents the earth observation problem. The set of states  $S = X \times Y \times W^{|P|}$  is a cross product of a set of longitudes  $X = \{x_1, x_2, \dots, x_{\ell_X}\}$  that represents the position of the satellite, a set of latitudes  $Y = \{y_1, y_2, \dots, y_{\ell_Y}\}$  that represents the focus of its camera, a set of weather levels  $W = \{w_1, w_2, \dots, w_{\ell_W}\}$ , and a set of points of interests  $P = \{p_1, p_2, \dots, p_{\ell_P}\}$  for the state factor sizes  $\ell_X$ ,  $\ell_Y$ ,  $\ell_W$ , and  $\ell_P$ . The set of actions  $A = \{\otimes, \uparrow, \downarrow, \odot\}$  has a *no operation* action  $\otimes$ , a *north* action  $\uparrow$ , a *south* action  $\downarrow$ , and a *photo* action  $\odot$ . The transition function  $T : S \times A \times S \rightarrow [0, 1]$  reflects the probability that the weather level  $w \in W$  of each point of interest  $p \in P$  changes as each action moves the satellite to the next eastward longitude  $x' \in X$  while the *north* and *south* actions  $\uparrow$  and  $\downarrow$  change the focus of the camera north and south to the northward and southward latitudes  $y' \in Y$  and  $y'' \in Y$  and the *null* and *photo* actions  $\otimes$  and  $\odot$  do not change latitude  $y \in Y$ . The reward function  $R : S \times A \rightarrow \mathbb{R}$  reflects the reward gained after performing the *photo* action  $\odot$  at any latitude  $y \in Y$  and longitude  $x \in X$  at a point of interest  $p \in P$  with a photo quality based on the weather level  $w \in W$  and a nil reward for any other latitude  $y' \in Y$  and longitude  $x' \in X$ .

2) *Abstract MDP*: We use an abstract MDP  $\bar{M} = \langle \bar{S}, A, \bar{T}, \bar{R} \rangle$  that partitions both the latitudes and longitudes

TABLE I  
THE EARTH OBSERVATION PROBLEM SIMULATION PARAMETERS.

ID	$\ell_X$	$\ell_Y$	$\ell_W$	$\ell_P$	$ S $	$\bar{\ell}_X$	$\bar{\ell}_Y$	$\bar{\ell}_W$	$ \bar{S} $	$ \bar{S} / S $	RAND $_P$	RAND $_W$	$\tau$
A	6	3	4	2	288	3	3	2	8	0.028	20	5	100
B	6	3	4	3	1152	3	3	2	16	0.014	20	5	100
C	6	3	4	4	4608	3	3	2	32	0.007	20	5	100
D	12	6	4	2	1152	3	3	2	32	0.028	20	5	100
E	12	6	4	3	4608	3	3	2	64	0.014	20	5	100
F	12	6	4	4	18432	3	3	2	128	0.007	5	5	25
G	24	12	4	2	4608	3	3	2	128	0.028	20	5	100
H	24	12	4	3	18432	3	3	2	256	0.014	5	5	25
I	24	12	4	4	73728	3	3	2	512	0.007	5	2	10
J	24	18	4	2	6912	3	3	2	192	0.028	10	5	50
K	24	18	4	3	27648	3	3	2	384	0.014	5	5	25
L	24	18	4	4	110592	3	3	2	768	0.007	5	2	10

rectangularly and the weather levels contiguously into different abstract states. The set of abstract states  $\bar{S} = \bar{X} \times \bar{Y} \times \bar{W}^{|P|}$  is a cross product of a set of abstract longitudes  $\bar{X} = \{\bar{x}_{\lfloor 1/\bar{\ell}_X \rfloor}, \bar{x}_{\lfloor 2/\bar{\ell}_X \rfloor}, \dots, \bar{x}_{\lfloor \ell_X/\bar{\ell}_X \rfloor}\}$  that represents the abstract position of the satellite, a set of abstract latitudes  $\bar{Y} = \{\bar{y}_{\lfloor 1/\bar{\ell}_Y \rfloor}, \bar{y}_{\lfloor 2/\bar{\ell}_Y \rfloor}, \dots, \bar{y}_{\lfloor \ell_Y/\bar{\ell}_Y \rfloor}\}$  that represents the abstract focus of its camera, a set of abstract weather levels  $\bar{W} = \{\bar{w}_{\lfloor 1/\bar{\ell}_W \rfloor}, \bar{w}_{\lfloor 2/\bar{\ell}_W \rfloor}, \dots, \bar{w}_{\lfloor \ell_W/\bar{\ell}_W \rfloor}\}$ , and a set of points of interests  $P$  for the abstract partition sizes  $\bar{\ell}_X$ ,  $\bar{\ell}_Y$ , and  $\bar{\ell}_W$  given an abstraction function  $\phi$ . The attributes  $A$ ,  $\bar{T}$ , and  $\bar{R}$  follow directly from the abstract MDP definition.

3) *Partially Abstract MDP*: We use a partially abstract MDP  $\langle \bar{S}, A, \bar{T}, \bar{R} \rangle$  that expands the current abstract state and all abstract states generated by an arbitrary expansion strategy. The set of partially abstract states  $\bar{S} = \alpha \cup \beta$  is a union of a set of ground states  $\alpha = \{\phi^{-1}(\bar{s}) \mid \bar{s} \in \Gamma\}$  and a set of abstract states  $\beta = \{\bar{S} \setminus \Gamma\}$  such that the set of grounded abstract states  $\Gamma \subseteq \bar{S}$  contains the current abstract state  $\bar{s} \in \bar{S}$  and key abstract states generated by an EXPANSIONSTRATEGY function given an inverse abstraction function  $\phi^{-1}$ . The attributes  $A$ ,  $\bar{T}$ , and  $\bar{R}$  follow directly from the partially abstract MDP definition.

## VII. EXPERIMENTS

We show that our approach is near-optimal and scalable by comparing it to a standard approach that solves a ground MDP directly across a set of earth observation problems.

Table I summarizes all earth observation problems. For each problem, we perform  $\tau$  random trials of 5000 simulation steps that are initialized with random points of interest RAND $_P$  and a random weather level process RAND $_W$ . These initializations are held constant across each approach. In the first time step of each trial, the satellite starts at a state with longitude 0 and latitude 0. During each step, the satellite performs an action, gains a reward, and transitions to a successor state. All trials were run on a 3.7 GHz quad-core processor with 32 GB 1333 MHz DIMM DDR3 RAM.

A ground MDP and an abstract MDP are specified for each problem. Each ground MDP uses parameters  $\ell_X$ ,  $\ell_Y$ ,  $\ell_W$ , and  $\ell_P$  that correspond to the state factor size of the




Fig. 3. The result plots (a), (b), and (c) for the earth observation domain. In (a), a *log scale* is used, the *dotted line* is a projection for any ground MDP that is infeasible to solve, and the *dashed line* is the cumulative planning time for each abstract MDP. *Shaded regions* denote a confidence interval of 95%.




Fig. 4. A cumulative histogram over the cumulative reward ratios.

longitudes, latitudes, weather levels, and points of interest. The state space size is  $|S| = \ell_X \times \ell_Y \times \ell_W^{\ell_P}$ . Each abstract MDP uses parameters  $\bar{\ell}_X$ ,  $\bar{\ell}_Y$ , and  $\bar{\ell}_W$  that correspond to the abstract partition size for the abstract longitudes, abstract latitudes, and abstract weather levels. The abstract state space size is  $|\bar{S}| = \bar{\ell}_X \times \bar{\ell}_Y \times \bar{\ell}_W^{\ell_P}$ . The compression ratio is  $|\bar{S}|/|S|$ .

We evaluate both approaches on each earth observation problem along two metrics. First, we measure the *cumulative planning time*: the total planning time required by an agent to solve all partially abstract MDPs for our approach and the ground MDP for the standard approach. The planning time required to solve each abstract MDP is measured separately. Second, we measure the *cumulative reward ratio*: an approximation ratio between 0 and 1 computed as the total reward gained by the agent using an approach divided by the reward gained by an agent that behaves optimally. The value of the policies generated by each approach cannot be measured directly using policy evaluation because state abstractions can change the scale of the values.

We use three different EXPANSIONSTRATEGY functions shown in Figure 1 along with expanding the current abstract state in our approach. NAIVESTRATEGY expands no key abstract states. GREEDYSTRATEGY expands any key abstract state with the current abstract weather levels that contains a point of interest within 1 abstract state of the current abstract state. PROACTIVESTRATEGY expands any key abstract state with the current abstract weather levels that is contained by a set of overlapping rectangles formed by the current abstract state and any abstract state that contains a point of interest within 2 abstract states of the current abstract state.

Our results are shown in four figures. Figure 3a shows how the *mean* cumulative planning time over all trials increases with the ground state space size. Our approach incurs initial

overhead but yields speedups of multiple orders of magnitude for large ground state spaces. Figure 3b shows how the *mean* cumulative reward ratio over all trials varies with the ground state space size while Figure 3c shows how the *mean* cumulative reward ratio over all trials increases with the reward density, which is the fraction of ground states that generate positive reward. Both figures indicate near-optimal performance on average. We suspect the variation among trials is caused by the suitability of expansion strategies to different geometries of points of interest. Figure 4 shows the cumulative frequency for each *mean* cumulative reward ratio over all trials. The short tails for greedy and proactive strategies suggest high performance and low variance.

There are three key takeaways. First, our approach with the greedy and proactive expansion strategies performs nearly as well as the standard approach in a fraction of the time. Next, our approach offers a trade-off between solution quality and computation time based on the choice of expansion strategy and abstraction strategy. In fact, *less* aggressive expansion strategies that expand *fewer* abstract states or *more* aggressive abstraction functions with larger abstract partitions can be used if planning time constraints are severe. This is consistent with the idea that partially abstract MDPs span a continuum of abstractions. Finally, our approach enables an agent to only wait until the abstract MDP and the first partially abstract MDP is built and solved while the standard approach must wait until the ground MDP is built and solved. This means that the planning time of our approach can not only be amortized over the deployment of the agent but also minimized through concurrent planning and execution.

## VIII. CONCLUSION

We offer a novel model, a partially abstract MDP, that reduces the complexity of a problem while maintaining high quality solutions by simultaneously using different levels of abstraction. We also provide theoretical results on the generality of partially abstract MDPs and their bounded optimality under certain conditions and propose a lazy algorithm that enables autonomous systems to leverage partially abstract MDPs during operation. Finally, we demonstrate the efficiency and accuracy of our approach on an earth observation domain. Future work will explore sophisticated strategies for state abstraction and state expansion.

## REFERENCES

- [1] K. H. Wray, L. E. Pineda, and S. Zilberstein, "Hierarchical approach to transfer of control in semi-autonomous systems," in *International Joint Conference on Artificial Intelligence*, 2016, pp. 517–523.
- [2] J. Svegliato, K. H. Wray, S. J. Witwicki, J. Biswas, and S. Zilberstein, "Belief space metareasoning for exception recovery," in *IEEE/RSJ International Conference on Intelligent Robots and Systems*, 2019, pp. 1224–1229.
- [3] M. A. Goodrich, B. S. Morse, D. Gerhardt, J. L. Cooper, M. Quigley, J. A. Adams, and C. Humphrey, "Supporting wilderness search and rescue using a camera-equipped mini UAV," *Journal of Field Robotics*, 2008.
- [4] L. Pineda, T. Takahashi, H.-T. Jung, S. Zilberstein, and R. Grupen, "Continual planning for search and rescue robots," in *IEEE/RAS International Conference on Humanoid Robots*. IEEE, 2015, pp. 243–248.
- [5] J. F. Mustard, D. Beaty, and D. Bass, "Mars 2020 science rover: Science goals and mission concept," in *AAS/Division for Planetary Sciences Meeting Abstracts*, vol. 45, 2013.
- [6] Y. Gao and S. Chien, "Review on space robotics: Toward top-level science through space exploration," *Science Robotics*, vol. 2, no. 7, 2017.
- [7] W. Meeussen, E. Marder-Eppstein, K. Watts, and B. P. Gerkey, "Long term autonomy in office environments," in *Robotics: Science and Systems ALONE Workshop*, 2011.
- [8] N. Hawes, C. Burbridge, F. Jovan, L. Kunze, B. Lacerda, L. Murova, J. Young, J. Wyatt, D. Hebesberger, T. Kortner, *et al.*, "The STRANDS project: Long-term autonomy in everyday environments," *IEEE Robotics & Automation Magazine*, vol. 24, no. 3, 2017.
- [9] K. H. Wray, S. J. Witwicki, and S. Zilberstein, "Online decision-making for scalable autonomous systems," in *International Joint Conference on Artificial Intelligence*, 2017.
- [10] L. Li, T. J. Walsh, and M. L. Littman, "Towards a unified theory of state abstraction for MDPs," in *International Symposium on Artificial Intelligence and Mathematics*, 2006.
- [11] M. Brucato, J. F. Beltran, A. Abouzied, and A. Meliou, "Scalable package queries in relational database systems," *International Conference on Very Large Data Bases*, vol. 9, no. 7, pp. 576–587, 2016.
- [12] D. P. Bertsekas, "Approximate policy iteration: A survey and some new methods," *Journal of Control Theory and Applications*, vol. 9, no. 3, pp. 310–335, 2011.
- [13] W. B. Powell, "Perspectives of approximate dynamic programming," *Annals of Operations Research*, vol. 241, no. 1-2, pp. 319–356, 2016.
- [14] C. Guestrin, D. Koller, R. Parr, and S. Venkataraman, "Efficient solution algorithms for factored MDPs," *Journal of Artificial Intelligence Research*, vol. 19, pp. 399–468, 2003.
- [15] M. Petrik and S. Zilberstein, "Constraint relaxation in approximate linear programs," in *Annual International Conference on Machine Learning*, 2009, pp. 809–816.
- [16] P. Poupart, A. Malhotra, P. Pei, K.-E. Kim, B. Goh, and M. Bowling, "Approximate linear programming for constrained partially observable markov decision processes," in *AAAI Conference on Artificial Intelligence*, vol. 1, 2015, pp. 3342–3348.
- [17] A. Malek, Y. Abbasi-Yadkori, and P. Bartlett, "Linear programming for large-scale Markov decision problems," in *International Conference on Machine Learning*, 2014, pp. 496–504.
- [18] T. Smith and R. Simmons, "Focused real-time dynamic programming for MDPs: Squeezing more out of a heuristic," in *AAAI Conference on Artificial Intelligence*, 2006, pp. 1227–1232.
- [19] L. E. Pineda, K. H. Wray, and S. Zilberstein, "Fast SSP solvers using short-sighted labeling," in *AAAI Conference on Artificial Intelligence*, 2017.
- [20] T. L. Dean, R. Givan, and S. Leach, "Model reduction techniques for computing approximately optimal solutions for Markov decision processes," *arXiv preprint arXiv:1302.1533*, 1997.
- [21] R. Givan, T. Dean, and M. Greig, "Equivalence notions and model minimization in Markov decision processes," *Artificial Intelligence*, vol. 147, no. 1-2, pp. 163–223, 2003.
- [22] N. Ferns, P. Panangaden, and D. Precup, "Metrics for finite Markov decision processes," in *Conference on Uncertainty in Artificial Intelligence*, vol. 4, 2004, pp. 162–169.
- [23] B. Ravindran and A. G. Barto, "Model minimization in hierarchical reinforcement learning," in *International Symposium on Abstraction, Reformulation, and Approximation*. Springer, 2002, pp. 196–211.
- [24] O. Biza and R. Platt, "Online abstraction with MDP homomorphisms for deep learning," *arXiv preprint arXiv:1811.12929*, 2018.
- [25] H. Yu and D. P. Bertsekas, "Basis function adaptation methods for cost approximation in MDP," in *IEEE Symposium on Adaptive Dynamic Programming and Reinforcement Learning*. IEEE, 2009, pp. 74–81.
- [26] T. G. Dietterich, "Hierarchical reinforcement learning with the MAXQ value function decomposition," *Journal of Artificial Intelligence Research*, vol. 13, pp. 227–303, 2000.
- [27] D. Ruiken, T. Q. Liu, T. Takahashi, and R. A. Grupen, "Reconfigurable tasks in belief-space planning," in *IEEE-RAS International Conference on Humanoid Robots*. IEEE, 2016, pp. 1257–1263.
- [28] L. Li and M. L. Littman, "Lazy approximation for solving continuous finite-horizon MDPs," in *AAAI Conference on Artificial Intelligence*, vol. 5, 2005, pp. 1175–1180.
- [29] M. Hauskrecht, N. Meuleau, L. P. Kaelbling, T. L. Dean, and C. Boutilier, "Hierarchical solution of Markov decision processes using macro-actions," *arXiv preprint arXiv:1301.7381*, 2013.
- [30] S. Sreedharan, S. Srivastava, and S. Kambhampati, "TLdR: Policy summarization for factored SSP problems using temporal abstractions," in *International Conference on Automated Planning and Scheduling*, vol. 30, 2020, pp. 272–280.
- [31] L. E. Pineda and S. Zilberstein, "Planning under uncertainty using reduced models: Revisiting determinization," in *24th International Conference on Automated Planning and Scheduling*. Citeseer, 2014.
- [32] S. Saisubramanian and S. Zilberstein, "Adaptive outcome selection for planning with reduced models," in *IEEE/RSJ International Conference on Intelligent Robots and Systems*. IEEE, 2019, pp. 1655–1660.
- [33] S. W. Yoon, A. Fern, and R. Givan, "FF-Replan: A baseline for probabilistic planning," in *International Conference on Automated Planning and Scheduling*, vol. 7, 2007, pp. 352–359.
- [34] L. E. Pineda and S. Zilberstein, "Soft labeling in stochastic shortest path problems," in *International Conference on Autonomous Agents and Multiagent Systems*, 2019, pp. 467–475.
- [35] G. Alexander, A. Raja, and D. J. Musliner, "Controlling deliberation in a Markov decision process-based agent," in *International Joint Conference on Autonomous Agents and Multiagent Systems*. Citeseer, 2008, pp. 461–468.
- [36] J. Pinto and A. Fern, "Learning partial policies to speedup MDP tree search," in *Conference on Uncertainty in Artificial Intelligence*. Citeseer, 2014, pp. 672–681.
- [37] R. Bellman, "Dynamic programming," *Science*, 1966.
- [38] R. Givan, S. Leach, and T. Dean, "Bounded-parameter Markov decision processes," *Artificial Intelligence*, vol. 122, no. 1-2, pp. 71–109, 2000.
- [39] E. A. Hansen and S. Zilberstein, "LAO\*: A heuristic search algorithm that finds solutions with loops," *Artificial Intelligence (AIJ)*, vol. 129, no. 1-2, pp. 35–62, 2001.
- [40] A. S. Manne, "Linear programming and sequential decisions," *Management Science*, 1960.
- [41] A. G. Barto, S. J. Bradtko, and S. P. Singh, "Learning to act using real-time dynamic programming," *Artificial intelligence*, vol. 72, no. 1-2, pp. 81–138, 1995.
- [42] A. Hertle, C. Dornhege, T. Keller, R. Mattmüller, M. Ortlieb, and B. Nebel, "An experimental comparison of classical, fond and probabilistic planning," in *Joint German/Austrian Conference on Artificial Intelligence*. Springer, 2014, pp. 297–308.